

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	11308	382/141,145,147,151,154,286,291.ccls. 348/86,87,94,95.ccls. 700/95,98,114,117,118,121.ccls. 345/420.ccls. 356/390,392,394,396-397,614,616.ccls. 250/559.19,559.29,559.3.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 15:56
L2	369579	"382"/\$.ccls. "348"/\$.ccls. "700"/\$.ccls. "345"/\$.ccls. "356"/\$.ccls. "250"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 15:56
L3	1291	part\$1 adj model\$1	USPAT	OR	OFF	2005/04/28 15:56
L4	11308	382/141,145,147,151,154,286,291.ccls. 348/86,87,94,95.ccls. 700/95,98,114,117,118,121.ccls. 345/420.ccls. 356/390,392,394,396-397,614,616.ccls. 250/559.19,559.29,559.3.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 15:56
L5	3974	(reference\$1 or test\$3) near7 (creat\$3 or make\$1 or making or improv\$4 or design\$4) near7 (model\$4 or representation\$1 or paragon\$1)	USPAT	OR	OFF	2005/04/28 15:56
L6	7207	(reference\$1 or test\$3) near7 (creat\$3 or make\$1 or making or improv\$4 or design\$4) near7 (model\$4 or representation\$1 or paragon\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 15:56
L7	11308	382/141,145,147,151,154,286,291.ccls. 348/86,87,94,95.ccls. 700/95,98,114,117,118,121.ccls. 345/420.ccls. 356/390,392,394,396-397,614,616.ccls. 250/559.19,559.29,559.3.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 15:56
L8	2608	geometric near model\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 15:56
L9	23506	(model\$3) near3 (part\$1 or section\$1 or division\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 15:56
L10	581	(geometric near model\$3) and ((model\$3) near3 (part\$1 or section\$1 or division\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 15:56

L11	45838	(improv\$3 creat\$3 design\$3 mak\$3 analyz\$3) near2 model\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 15:56
L13	45838	(improv\$3 creat\$3 design\$3 mak\$3 analyz\$3) near2 model\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 15:56
L14	908	((improv\$3 creat\$3 design\$3 mak\$3 analyz\$3) near2 model\$1) and (geometric\$3 near model\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 15:56
L15	404497	"382"/\$.ccls. "348"/\$.ccls. "700"/\$.ccls. "345"/\$.ccls. "356"/\$.ccls. "250"/\$.ccls. "358"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 15:56
L16	473	((improv\$3 creat\$3 design\$3 mak\$3 analyz\$3) near2 model\$1) and (geometric\$3 near model\$1)) and ("382"/\$.ccls. "348"/\$.ccls. "700"/\$.ccls. "345"/\$.ccls. "356"/\$.ccls. "250"/\$.ccls. "358"/\$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 15:56
L17	5298	((improv\$3 creat\$3 design\$3 mak\$3 analyz\$3) near2 model\$1) and ("382"/\$.ccls. "348"/\$.ccls. "700"/\$.ccls. "345"/\$.ccls. "356"/\$.ccls. "250"/\$.ccls. "358"/\$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 15:56
L18	11308	382/141,145,147,151,154,286, 291.ccls. 348/86,87,94,95.ccls. 700/95,98,114,117,118,121.ccls. 345/420.ccls. 356/390,392,394, 396-397,614,616.ccls. 250/559. 19,559.29,559.3.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 15:56
L19	851	((improv\$3 creat\$3 design\$3 mak\$3 analyz\$3) near2 model\$1) and (382/141,145,147,151,154, 286,291.ccls. 348/86,87,94,95. ccls. 700/95,98,114,117,118,121. ccls. 345/420.ccls. 356/390,392, 394,396-397,614,616.ccls. 250/559.19,559.29,559.3.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 15:56
L30	4692	indication near error\$1	USPAT	OR	OFF	2005/04/28 15:56

L32	149	(part\$1 adj model\$1) and (382/141,145,147,151,154,286,291.ccls. 348/86,87,94,95.ccls. 700/95,98,114,117,118,121.ccls. 345/420.ccls. 356/390,392,394,396-397,614,616.ccls. 250/559.19,559.29,559.3.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 15:56
L39	141	((reference\$1 or test\$3) near7 (creat\$3 or make\$1 or making or improv\$4 or design\$4) near7 (model\$4 or representation\$1 or paragon\$1)) and (382/141,145,147,151,154,286,291.ccls. 348/86,87,94,95.ccls. 700/95,98,114,117,118,121.ccls. 345/420.ccls. 356/390,392,394,396-397,614,616.ccls. 250/559.19,559.29,559.3.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 15:56
L41	6	("4677473" "4751570" "5455870" "5550763" "5642158" "6173070").PN.	USPAT	OR	OFF	2005/04/28 15:56
L42	386	((geometric near model\$3) and ((model\$3) near3 (part\$1 or section\$1 or division\$1))) and (((improv\$3 creat\$3 design\$3 mak\$3 analyz\$3) near2 model\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 15:56
L43	16	geometric near model\$3 near3 vision	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 15:56
L45	4	("5828769" "5621807").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 15:56
L46	2	("4839824" "5018065").PN.	USPAT	OR	OFF	2005/04/28 15:56
L47	110	((((improv\$3 creat\$3 design\$3 mak\$3 analyz\$3) near2 model\$1) and (382/141,145,147,151,154,286,291.ccls. 348/86,87,94,95.ccls. 700/95,98,114,117,118,121.ccls. 345/420.ccls. 356/390,392,394,396-397,614,616.ccls. 250/559.19,559.29,559.3.ccls.)) and (geometric near model)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 15:56
L48	16	"5633995".URPN.	USPAT	OR	OFF	2005/04/28 15:56
L49	5	("4805123" "4849679" "5537669" "5640200" "5793901").PN.	USPAT	OR	OFF	2005/04/28 15:56

L65	25	("4731860" "4980971" "5060276" "5113565" "5226095" "5268999" "5343028" "5371690" "5471541" "5495537" "5497451" "5500906" "5545887" "5602937" "5621807" "5625715" "5627912" "5627915" "5663809" "5828769" "5845288" "5850469" "5963664" "5974169" "6037949").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/28 15:56
-----	----	---	------------------------------	----	-----	------------------

L67	1139	(creat\$4 or generat\$4 or construct\$4 or devis\$4 or making) near2 (model\$1 or layout\$1 or blueprint\$1) near2 (geometric\$4 or part\$1)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/28 15:56
L68	0	(creat\$4 or generat\$4 or construct\$4 or devis\$4 or making) near2 (model\$1 or layout\$1 or blueprint\$1) near2 (geometric\$4 or part\$1) with smd	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/28 15:56
L69	0	(creat\$4 or generat\$4 or construct\$4 or devis\$4 or making) near2 (model\$1 or layout\$1 or blueprint\$1) near2 (geometric\$4 or part\$1) same ((surface near mounted near device\$1) or smd)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/28 15:56
L70	6	L67 and 382/141-151.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/28 15:56
L71	42232	(creat\$4 or generat\$4 or construct\$4 or devis\$4 or making) near2 (model\$1 or layout\$1 or blueprint\$1)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/28 15:56
L72	147	L71 and 382/141-151.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/28 15:56
L73	37	("4843631" "4845764" "4912336" "4913549" "4980971" "5023916" "5060276" "5113565" "5151822" "5164994" "5226095" "5268999" "5343028" "5371690" "5471541" "5495537" "5497451" "5500906" "5539518" "5545887" "5602937" "5621807" "5625715" "5627912" "5627915" "5663799" "5663809" "5694482" "5822043" "5828769" "5850469" "5974169" "6061587" "6137896" "6307951" "6508767" "6556704").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/28 15:56
L74	1	"6064759".pn. and (geometric near model\$1)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/28 15:56
L75	100	(retain\$3 or keep\$3 or improv\$5 or refin\$3 or enhanc\$3) with (geometric\$4 near2 model\$1)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/28 15:56

L76	4778	382/141-151.ccls. or 700/95, 114-120.ccls. or 345/420.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/28 15:56
L77	22	L75 and L76	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/28 15:56
L78	47793	(retain\$3 or keep\$3 or improv\$5 or refin\$3 or enhanc\$3) near2 (layout\$ or design or blueprint\$1 or plan\$1 near2 model\$1)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/28 15:56
L79	97	L76 and L78	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/28 15:56
L80	110922	(generat\$3 or mak\$3 or creat\$5 or construct\$4 or devis\$4) near2 (model\$1 or layout\$1 or blueprint\$1 or plan\$1)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/28 15:56
L81	56	382/145.ccls. and L80	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/28 15:56
L82	28364	(generat\$3 or mak\$3 or creat\$5 or construct\$4 or devis\$4) near2 (model\$1 or layout\$1 or blueprint\$1 or plan\$1) same (geometr\$2 or arc or line or shape\$1)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/28 15:56
L83	17	382/145.ccls. and L82	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/28 15:56
L84	9	382/147.ccls. and L82	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/28 15:56
L85	537	382/145.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/28 15:56
L86	386	382/145.ccls.	USPAT	OR	OFF	2005/04/28 15:56
L87	143	382/145.ccls. and (model\$1 or layout\$1)	USPAT	OR	OFF	2005/04/28 15:56
L88	26	382/145.ccls. and ((creat\$4 or generat\$4 or making) near2 (model\$1 or layout\$1))	USPAT	OR	OFF	2005/04/28 15:56
L89	644	((creat\$4 or generat\$4 or making) near2 (model\$1 or layout\$1) with geometr\$4)	USPAT	OR	OFF	2005/04/28 15:56
L90	8	((creat\$4 or generat\$4 or making) near2 (model\$1 or layout\$1) with geometr\$4) same (semiconductor\$1 or smd\$1)	USPAT	OR	OFF	2005/04/28 15:56

L91	5	((creat\$4 or generat\$4 or making) near2 (model\$1 or layout\$1) with geometr\$4) same (inspect\$4)	USPAT	OR	OFF	2005/04/28 15:56
L92	138	((creat\$4 or generat\$4 or making) near2 (model\$1 or layout\$1) with geometr\$4) same (imag\$3)	USPAT	OR	OFF	2005/04/28 15:56
L93	95	((creat\$4 or generat\$4 or making) near2 (model\$1 or layout\$1) with geometr\$4) with (imag\$3)	USPAT	OR	OFF	2005/04/28 15:56
L94	28	("4980971" "5060276" "5113565" "5226095" "5268999" "5343028" "5371690" "5471541" "5495537" "5497451" "5500906" "5545887" "5550763" "5602937" "5621807" "5625715" "5627912" "5627915" "5642158" "5663809" "5828769" "5850469" "5974169" "6026176" "6151406" "6154567" "6173070" "6324299").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/28 15:56
L95	4071	(neural near (net\$1 or network\$1)) with model\$3	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/28 15:56
L96	14	geometric near part near model\$1	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/28 15:56
L97	33	((creat\$4 or generat\$4 or making) near2 (model\$1 or layout\$1) with geometr\$4) and (machine near vision)	USPAT	OR	OFF	2005/04/28 15:56
L98	25	("4189233" "4269506" "4594000" "4658218" "4830486" "4860304" "4907586" "4928152" "5006721" "5110203" "5114226" "5132977" "5337149" "5381431" "5386427" "5394413" "5412474" "5510890" "5531520" "5589929" "5606409" "5623335" "5638163" "5638164" "5719664").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/28 15:56

L99	13	((creat\$4 or generat\$4 or making) near2 (model\$1 or layout\$1) with geometr\$4) and (machine near vision) same ((two near dimension\$5) or 2d or two-dimension\$5 or 2-d or 2-dimension\$5)	USPAT	OR	OFF	2005/04/28 15:56
L100	6	((creat\$4 or generat\$4 or making) near2 (model\$1 or layout\$1) with geometr\$4) same ((two near dimension\$5) or 2d or two-dimension\$5 or 2-d or 2-dimension\$5)) and (machine near vision)	USPAT	OR	OFF	2005/04/28 15:56
L101	236	348/87.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 15:57
L102	321	348/126.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 15:57
L103	791	702/150.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 15:57
L104	290	702/151.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 15:57
L105	142	250/559.34.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 15:57
L106	137	250/559.37.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 15:58

L107	91	382/146.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 15:58
------	----	---------------	---	----	-----	------------------